

- Al-Ghamdi, K.M., R.K. Stewart, and G. Boivin. Synchrony between populations of the tarnished plant bug, *Lygus lineolaris* (Palisot de Beauvois) (Hemiptera: Miridae), and its egg parasitoids in southwestern Quebec, 457.
- Alarie, Y. Primary setae and pores on the legs, the last abdominal segment, and the urogomphi of larvae of Nearctic Colymbetinae (Coleoptera: Adephaga: Dytiscidae) with an analysis of their phylogenetic relationships, 913.
- Andersen, A., and J.N. McNeil. Occurrence of *Chromatomyia fuscata* (Zett.) (Diptera: Agromyzidae) in cereals and grasses in Quebec, 979.
- Aoki, N. See Iwasa et al., 613.
- Arnason, J.T. See Bergvinson et al., 111.
- Bauduin, F. See Cloutier and Bauduin, 195.
- Bergh, J.C., T.M. Perring, and J.-P.R. Le Blanc. Identification of silverleaf whitefly, *Bemisia argentifolii* Bellows and Perring (Homoptera: Aleyrodidae), in Nova Scotia greenhouses, 141.
- Bergvinson, D.J., J.S. Larsen, and J.T. Arnason. Effect of light on changes in maize resistance against the European corn borer, *Ostrinia nubilalis* (Hübner), 111.
- Bodnaryk, R.P. See Rymerson and Bodnaryk, 41.
- Boivin, G. See Al-Ghamdi et al., 457.
- See Turnock et al., 535.
- Bonduriansky, R. A new Nearctic species of *Protopiophila* Duda (Diptera: Piophilidae), with notes on its behaviour and comparison with *P. latipes* (Meigen), 859.
- Borden, J.H. See MacLaughlan and Borden, 267.
- See Stock et al., 449.
- Bousquet, Y. See Moret et Bousquet, 753.
- Brandt, J.P., S.M. Smith, and M. Hubbes. Bionomics of strawberry root weevil adults, *Otiorynchus ovatus* (L.) (Coleoptera: Curculionidae), on young ornamental conifer trees in southern Ontario, 595.
- Brewer, G.J. See Peng and Brewer, 7.
- See Peng and Brewer, 561.
- Bros, W.E. See Hoover et al., 79.
- Buckle, D., and K. Roney. *Araniella proxima* (Kulczyński) (Araneae: Araneidae) in North America, 977.
- Campbell, C.D., and W.D. Hutchison. Rearing methods and demographic statistics for a subterranean morph of the sugarbeet root aphid (Homoptera: Aphididae), 65.
- Cane, J.H., H.E. Cox, and W.J. Moar. Susceptibility of *Ips calligraphus* (Germar) and *Dendroctonus frontalis* Zimmermann (Coleoptera: Scolytidae) to coleopteran-active *Bacillus thuringiensis*, a *Bacillus* metabolite, and Avermectin B1, 831.
- Cárcamo, H.A. Effect of tillage on ground beetles (Coleoptera: Carabidae): A farm-scale study in central Alberta, 631.
- Cárcamo, H.A., J.K. Niemälä, and J.R. Spence. Farming and ground beetles: Effects of agronomic practice on populations and community structure, 123.
- Carillo, C. See Simon et al., 623.
- Carnero, A., and J.M. Nieto Nafria. *Acyrtosiphon supranubius* sp. nov. (Hom. Aphididae), the first aphid species endemic to the Canary Islands (Spain), 155.
- Carrière, Y., S. Paré, and B.D. Roitberg. Oviposition preference of a polyphagous moth, the obliquebanded leafroller, *Choristoneura rosaceana* (Harris) (Lepidoptera: Tortricidae), 577.
- Cerezke, H.F. Egg gallery, brood production, and adult characteristics of mountain pine beetle, *Dendroctonus ponderosae* Hopkins (Coleoptera: Scolytidae), in three pine hosts, 955.
- Chandler, L.D., J.L. Robertson, and H.K. Preisler. Effects of combinations of chlorpyrifos and cypermethrin on mortality of corn earworm and fall armyworm (Lepidoptera: Noctuidae) larvae, 25.
- Chilton, G., and T.D. Galloway. Fleas (Siphonaptera: Ceratophyllidae) from nests of white-crowned sparrows (*Zonotrichia leucophrys*) in southwestern Alberta, Canada, 443.
- Cloutier, C., and F. Bauduin. Biological control of the Colorado potato beetle *Leptinotarsa decemlineata* (Coleoptera: Chrysomelidae) in Quebec by augmentative releases of the two-spotted stinkbug *Perillus bioculatus* (Hemiptera: Pentatomidae), 195.
- Coderre, D., E. Lucas, and E. Gagné. The occurrence of *Harmonia axyridis* (Pallas) (Coleoptera: Coccinellidae) in Canada, 609.
- Cook, J., H. F. Howden, and S.B. Peck. Galápagos Islands' genus *Neoryctes* Arrow (Coleoptera: Scarabaeidae: Dynastinae), 177.
- Coppedge, B.R., F.M. Stephen, and G.W. Felton. Variation in female southern pine beetle size and lipid content in relation to fungal associates, 145.
- Corrigan, J.E. See Laing and Corrigan, 103.
- See Leatemia et al., 245.
- Cossentine, J.E., and L.B. Jensen. *Orthosia hibisci* Guenée (Lepidoptera: Noctuidae): Indigenous parasitoids and the impact of *Earinus limitatus* (Say) (Hymenoptera: Ichneumonidae) on its host feeding activity, 473.
- Cox, H.E. See Cane et al., 831.

- Al-Ghamdi, K.M., R.K. Stewart, and G. Boivin. Synchrony between populations of the tarnished plant bug, *Lygus lineolaris* (Palisot de Beauvois) (Hemiptera: Miridae), and its egg parasitoids in southwestern Quebec, 457.
- Alarie, Y. Primary setae and pores on the legs, the last abdominal segment, and the urogomphi of larvae of Nearctic Colymbetinae (Coleoptera: Adephaga: Dytiscidae) with an analysis of their phylogenetic relationships, 913.
- Andersen, A., and J.N. McNeil. Occurrence of *Chromatomyia fuscata* (Zett.) (Diptera: Agromyzidae) in cereals and grasses in Quebec, 979.
- Aoki, N. See Iwasa et al., 613.
- Arnason, J.T. See Bergvinson et al., 111.
- Bauduin, F. See Cloutier and Bauduin, 195.
- Bergh, J.C., T.M. Perring, and J.-P.R. Le Blanc. Identification of silverleaf whitefly, *Bemisia argentifolii* Bellows and Perring (Homoptera: Aleyrodidae), in Nova Scotia greenhouses, 141.
- Bergvinson, D.J., J.S. Larsen, and J.T. Arnason. Effect of light on changes in maize resistance against the European corn borer, *Ostrinia nubilalis* (Hübner), 111.
- Bodnaryk, R.P. See Rymerson and Bodnaryk, 41.
- Boivin, G. See Al-Ghamdi et al., 457.
- See Turnock et al., 535.
- Bonduriansky, R. A new Nearctic species of *Protopiophila* Duda (Diptera: Piophilidae), with notes on its behaviour and comparison with *P. latipes* (Meigen), 859.
- Borden, J.H. See MacLaughlan and Borden, 267.
- See Stock et al., 449.
- Bousquet, Y. See Moret et Bousquet, 753.
- Brandt, J.P., S.M. Smith, and M. Hubbes. Bionomics of strawberry root weevil adults, *Otiorynchus ovatus* (L.) (Coleoptera: Curculionidae), on young ornamental conifer trees in southern Ontario, 595.
- Brewer, G.J. See Peng and Brewer, 7.
- See Peng and Brewer, 561.
- Bros, W.E. See Hoover et al., 79.
- Buckle, D., and K. Roney. *Araniella proxima* (Kulczyński) (Araneae: Araneidae) in North America, 977.
- Campbell, C.D., and W.D. Hutchison. Rearing methods and demographic statistics for a subterranean morph of the sugarbeet root aphid (Homoptera: Aphididae), 65.
- Cane, J.H., H.E. Cox, and W.J. Moar. Susceptibility of *Ips calligraphus* (Germar) and *Dendroctonus frontalis* Zimmermann (Coleoptera: Scolytidae) to coleopteran-active *Bacillus thuringiensis*, a *Bacillus* metabolite, and Avermectin B1, 831.
- Cárcamo, H.A. Effect of tillage on ground beetles (Coleoptera: Carabidae): A farm-scale study in central Alberta, 631.
- Cárcamo, H.A., J.K. Niemälä, and J.R. Spence. Farming and ground beetles: Effects of agronomic practice on populations and community structure, 123.
- Carillo, C. See Simon et al., 623.
- Carnero, A., and J.M. Nieto Nafria. *Acyrtosiphon supranubius* sp. nov. (Hom. Aphididae), the first aphid species endemic to the Canary Islands (Spain), 155.
- Carrière, Y., S. Paré, and B.D. Roitberg. Oviposition preference of a polyphagous moth, the obliquebanded leafroller, *Choristoneura rosaceana* (Harris) (Lepidoptera: Tortricidae), 577.
- Cerezke, H.F. Egg gallery, brood production, and adult characteristics of mountain pine beetle, *Dendroctonus ponderosae* Hopkins (Coleoptera: Scolytidae), in three pine hosts, 955.
- Chandler, L.D., J.L. Robertson, and H.K. Preisler. Effects of combinations of chlorpyrifos and cypermethrin on mortality of corn earworm and fall armyworm (Lepidoptera: Noctuidae) larvae, 25.
- Chilton, G., and T.D. Galloway. Fleas (Siphonaptera: Ceratophyllidae) from nests of white-crowned sparrows (*Zonotrichia leucophrys*) in southwestern Alberta, Canada, 443.
- Cloutier, C., and F. Bauduin. Biological control of the Colorado potato beetle *Leptinotarsa decemlineata* (Coleoptera: Chrysomelidae) in Quebec by augmentative releases of the two-spotted stinkbug *Perillus bioculatus* (Hemiptera: Pentatomidae), 195.
- Coderre, D., E. Lucas, and E. Gagné. The occurrence of *Harmonia axyridis* (Pallas) (Coleoptera: Coccinellidae) in Canada, 609.
- Cook, J., H. F. Howden, and S.B. Peck. Galápagos Islands' genus *Neoryctes* Arrow (Coleoptera: Scarabaeidae: Dynastinae), 177.
- Coppedge, B.R., F.M. Stephen, and G.W. Felton. Variation in female southern pine beetle size and lipid content in relation to fungal associates, 145.
- Corrigan, J.E. See Laing and Corrigan, 103.
- See Leatemia et al., 245.
- Cossentine, J.E., and L.B. Jensen. *Orthosia hibisci* Guenée (Lepidoptera: Noctuidae): Indigenous parasitoids and the impact of *Earinus limitatus* (Say) (Hymenoptera: Ichneumonidae) on its host feeding activity, 473.
- Cox, H.E. See Cane et al., 831.

- Darling, D.C.** New Palaearctic species of *Spalangiopecta* (Hymenoptera: Chalcidoidea: Pteromalidae: Ceinae), 225.
- Daterman, G.E.** See Ross and Daterman, 805.
- De Clercq-Floate, R.A.** See Kokko et al., 519.
- De Clercq, P., and D. Degheele.** *Podisus nigrispinus* (Dallas) and *Podisus sagitta* (Fabricius) (Heteroptera: Pentatomidae): Correction of a misidentification, 265.
- Degheele, D.** See De Clercq and Degheele, 265.
- de Groot, P., and B.F. Zylstra.** Factors affecting capture of male red pine cone beetles, *Conophthorus resinosae* Hopkins (Coleoptera: Scolytidae), in pheromone traps, 851.
- De Melo, R.** See Simon et al., 623.
- Denford, K.E.** See Roland et al., 413.
- Dornan, A.P., and J.G. Stewart.** Population dynamics of the European corn borer, *Ostrinia nubilalis* (Hübner) (Lepidoptera: Pyralidae), attacking potatoes in Prince Edward Island, 255.
- Eidt, D.C., and G.S. Thurston.** Physical deterrents to infection by entomopathogenic nematodes in wireworms (Coleoptera: Elateridae) and other soil insects, 423.
- Eidt, D.C., S. Zervos, and J.R. Finney-Crawley.** Susceptibility of adults of *Hylobius congener* Dalle Torre, Shenklings, and Marshall (Coleoptera: Curculionidae) to entomopathogenic nematodes, 439.
- Eidt, D.C., S. Zervos, A.E. Pye, and J.R. Finney-Crawley.** Control of *Hylobius congener* Dalle Torre, Shenklings, and Marshall (Coleoptera: Curculionidae) using entomopathogenic nematodes, 431.
- Elliott, N.C.** See Hein et al., 59.
- Ellis, C.R.** See Mulock et al., 839.
- Felton, G.W.** See Coppedge et al., 145.
- Ferguson, G.** See Schmidt et al., 445.
- Fields, P., S. Pouleur, and C. Richard.** The effect of high temperature storage on the capacity of an ice-nucleating-active bacterium and fungus to reduce insect cold-tolerance, 33.
- Finney-Crawley, J.R.** See Eidt et al., 431.
See Eidt et al., 439.
- Fitzpatrick, S.M.** See Li et al., 271.
- Flannagan, J.** See Gains and Flannagan, 527.
- Fox, J.W.** See Hoover et al., 79.
- Gagné, E.** See Coderre et al., 609.
- Gains, E., and J. Flannagan.** Fine external morphology of the eggs of *Ephoron album* (Say) and *Ephoron shigae* (Takahashi) (Ephemeroptera, Polymitarcyidae), 527.
- Galloway, T.D.** See Chilton and Galloway, 443.
- Gerber, G.H.** Fecundity of *Lygus lineolaris* (Heteroptera: Miridae), 263.
- Gerber, G.H., and I.L. Wise.** Seasonal occurrence and number of generations of *Lygus lineolaris* and *L. borealis* (Heteroptera: Miridae) in southern Manitoba, 543.
- Gesner, G.N.** See Sweeney and Gesner, 865.
- Gill, B.D.** See Howden and Gill, 587.
- Gordon, R.** Toxic effects of a commercial formulation of fenoxycarb against adult and egg stages of the eastern spruce budworm, *Choristoneura fumiferana* (Clemens) (Lepidoptera: Tortricidae), 1.
- Gray, T.G.** See Shepherd et al., 813.
- Gray, T.G., R.F. Shepherd, and G.T. Harvey.** Incidence of spicules on the aedeagi of *Choristoneura fumiferana*, *C. biennis*, and *C.* unidentified species (Lepidoptera: Tortricidae), 161.
- Gries, G.** See Rhainds et al., 799.
- Grigliatti, T.A.** See Pfeifer et al., 49.
- Hamilton, K.G.A.** New species and diagnostic characters from the Nearctic leafhopper genera *Commellus* and *Extrusanus* (Rhynchotha: Homoptera: Cicadellidae), 93.
- Harvey, G.T.** See Gray et al., 161.
See Shepherd et al., 813.
- Hebert, P.D.N.** See Simon et al., 623.
- Hein, G.L., N.C. Elliott, G.J. Michels, Jr., and R.W. Kieckhefer.** A general method for estimating cereal aphid populations in small grain fields based on frequency of occurrence, 59.
- Hickey, D.A.** See Sperling and Hickey, 277.
- Holliday, N.J.** See Lactin et al., 479.
- Hoover, K., D.L. Wood, J.W. Fox, and W.E. Bros.** Quantitative and seasonal association of the pitch canker fungus, *Fusarium subglutinans* F. sp. *pini* with *Conophthorus radiatae* (Coleoptera: Scolytidae) and *Ernobius punctulatus* (Coleoptera: Anobiidae) which infest *Pinus radiata*, 79.
- Hori, K.** See Iwasa et al., 613.
- Howden, H.F.** See Cook et al., 177.
- Howden, H.F., and B.D. Gill.** *Trachycrusus*, a new genus of Ceratocanthinae (Coleoptera, Scarabaeidae) with two new species from Peru, 587.
- Hubbes, M.** See Brandt et al., 595.

- Humble, L.M.** See Pfeifer et al., 49.
- Hutchison, W.D.** See Campbell and Hutchison, 65.
- Ishibashi, E.** See Kudo and Ishibashi, 275.
- Isman, M.B.** See Li et al., 271.
- Iwasa, M., K. Hori, and N. Aoki.** Fly fauna of bird nests in Hokkaido, Japan (Diptera), 613.
- Jensen, L.B.** See Cossentine and Jensen, 473.
- Jimenez, L.** See Roland et al., 413.
- Johnston, B.D.** See Stock et al., 449.
- Kenaschuk, E.O.** See Wise et al., 213.
- Kerzhner, I.M.** See Lee and Kerzhner, 659.
- Kevan, P.G.** See Willis and Kevan, 167.
- Kieckhefer, R.W.** See Hein et al., 59.
- Kokko, E.G., R.A. De Clerck-Floate, and F.L. Leggett.** Method to quantify leaf beetle consumption of leaf disks using image analysis, 519.
- Kudo, S., and E. Ishibashi.** Notes on maternal care in the ovoviviparous leaf beetle *Gonioctena japonica* (Coleoptera: Chrysomelidae), 275.
- Kuhlmann, U.** Biology of *Triarthria setipennis* (Fallén) (Diptera: Tachinidae), a native parasitoid of the European earwig, *Forficula auricularia* L. (Dermaptera: Forficulidae), in Europe, 507.
- Lactin, D.J., N.J. Holliday, and L.L. Lamari.** Feeding by Colorado potato beetle larvae (Coleoptera: Chrysomelidae) in field cages: Measurements and a model, 479.
- Laing, J.E.** See Leatemia et al., 245.
- Laing, J.E., and J.E. Corrigan.** Diapause induction and post-diapause emergence in *Trichogramma minutum* Riley (Hymenoptera: Trichogrammatidae): The role of host species, temperature, and photoperiod, 103.
- Lamari, L.L.** See Lactin et al., 479.
- Lamb, R.J.** See Wise et al., 213.
- See Wise and Lamb, 967.
- Langor, D.W., and F.A.H. Sperling.** Mitochondrial DNA variation and identification of bark weevils in the *Pissodes strobi* species group in western Canada (Coleoptera: Curculionidae), 895.
- Larsen, J.S.** See Bergvinson et al., 111.
- Le Blanc, J.-P.R.** See Bergh et al., 141.
- Leatemia, J.A., J.E. Laing, and J.E. Corrigan.** Effects of adult nutrition on longevity, fecundity, and offspring sex ratio of *Trichogramma minutum* Riley (Hymenoptera: Trichogrammatidae), 245.
- Lee, C.E., and I.M. Kerzhner.** *Deraeocoris sanghonami* sp. nov. (Heteroptera: Miridae) from Korea, 659.
- Leggett, F.L.** See Kokko et al., 519.
- LeSage, L.** Revision of the costate species of *Altica* Müller of North America north of Mexico (Coleoptera: Chrysomelidae), 295.
- Li, S.Y., S.M. Fitzpatrick, and M.B. Isman.** Effect of temperature on toxicity of *Bacillus thuringiensis* to the obliquebanded leafroller (Lepidoptera: Tortricidae), 271.
- Lucas, E.** See Coderre et al., 609.
- MacLaughlan, L.E., and J.H. Borden.** Discrimination between pine shoots with and without oviposition by *Pissodes terminalis* Hopping (Coleoptera: Curculionidae), 267.
- Maier, C.T., and R.M. Weseloh.** Spatial distribution of *Sympiesis marylandensis* Girault (Hymenoptera: Eulophidae) in apple orchards infested by its host, the apple blotch leafminer, *Phyllonorycter crataegella* (Clemens) (Lepidoptera: Gracillariidae), 235.
- McNeil, J.N.** See Andersen and McNeil, 979.
- Michels, G.J., Jr.** See Hein et al., 59.
- Milbrath, L.R., M.J. Weiss, and B.G. Schatz.** Influence of tillage system, planting date, and oilseed crucifers on flea beetle populations (Coleoptera: Chrysomelidae), 289.
- Moar, W.J.** See Cane et al., 831.
- Moret, P., et Y. Bousquet.** Le sous-genre *Dercylus* (*Licinodercylus*) Kuntzen, 1912: Position systématique, révision des espèces et description de la larve (Carabidae, Dercylini), 753.
- Muir, A.D.** See Soroka and Muir, 945.
- Mulock, B.S., C.R. Ellis, and G.H. Whitfield.** Evaluation of an oviposition trap for monitoring egg populations of *Diabrotica* spp. (Coleoptera: Chrysomelidae) in field corn, 839.
- Nadel, H.** See Schmidt et al., 445.
- Niemalä, J.K.** See Cárcamo et al., 123.
- Nieto Nafria, J.M.** See Carnero and Nieto Nafria, 155.
- Paré, S.** See Carrière et al., 577.
- Parry, D.** Larval and pupal parasitism of the forest tent caterpillar, *Malacosoma disstria* Hübner (Lepidoptera: Lasiocampidae), in Alberta, Canada, 877.
- Payne, N.J., and K. van Frankenhuyzen.** Effect of spray droplet size and density on efficacy of *Bacillus thuringiensis* Berliner against the spruce budworm, *Choristoneura fumiferana* (Clem.) (Lepidoptera: Tortricidae), 15.

- Pearsall, I.A., and S.J. Walde. A comparison of epigeaic Coleoptera assemblages in organic, conventional, and abandoned orchards in Nova Scotia, Canada, 641.
- Peck, S.B. See Cook et al., 177.
- Peng, C., and G.J. Brewer. Sampling plans for estimating achene damage by the red sunflower seed weevil (Coleoptera: Curculionidae), 7.
- Economic injury levels for the red sunflower seed weevil (Coleoptera: Curculionidae) infesting oilseed sunflower, 561.
- Perring, T.M. See Bergh et al., 141.
- Pfeifer, T.A., L.M. Humble, M. Ring, and T.A. Grigliatti. Characterization of gypsy moth populations and related species using a nuclear DNA marker, 49.
- Pierce, H.D., Jr. See Stock et al., 449.
- Pouleur, S. See Fields et al., 33.
- Pratt, T.L. See Stock et al., 449.
- Preisler, H.K. See Chandler et al., 25.
- Pye, A.E. See Eidt et al., 431.
- Rhains, M., G. Gries, and R. Rodriguez. Evidence for mate choice by male bagworms, *Oiketicus kirbyi* (Guilting) (Lepidoptera: Psychidae), 799.
- Richard, C. See Fields et al., 33.
- Richards, P.C. See Schmidt et al., 445.
- Ring, M. See Pfeifer et al., 49.
- Robertson, H.K. See Chandler et al., 25.
- Rodriguez, R. See Rhains et al., 799.
- Roitberg, B.D. See Carrière et al., 577.
- Roland, J., K.E. Denford, and L. Jimenez. Borneol as an attractant for *Cyzenis albicans*, a tachinid parasitoid of the winter moth, *Operophtera brumata* L. (Lepidoptera: Geometridae), 413.
- Roney, K. See Buckle and Roney, 977.
- Ross, D.W., and G.E. Daterman. Efficacy of an antiaggregation pheromone for reducing Douglas-fir beetle, *Dendroctonus pseudotsugae* Hopkins (Coleoptera: Scolytidae), infestation in high risk stands, 805.
- Rymerson, R.T., and R.P. Bodnaryk. Gut proteinase activity in insect pests of canola, 41.
- Santiago-Blay, J.A., and T.L. Young. Reliable sexing of adult *Conophthorus* (Coleoptera: Scolytidae) beetles, 605.
- Schatz, B.G. See Milbrath et al., 289.
- Schmidt, J.M., P.C. Richards, H. Nadel, and G. Ferguson. A rearing method for the production of large numbers of the insidious flower bug, *Orius insidiosus* (Day) (Hemiptera: Anthocoridae), 445.
- Shepherd, R.F. See Gray et al., 161.
- Shepherd, R.F., T.G. Gray, and G.T. Harvey. Geographical distribution of *Choristoneura* species (Lepidoptera: Tortricidae) feeding on *Abies*, *Picea*, and *Pseudotsuga* in western Canada and Alaska, 813.
- Simon, J.C., P.D.N. Hebert, C. Carillo, and R. De Melo. Lack of clonal variation among Canadian populations of the corn leaf aphid, *Rhopalosiphum maidis* Fitch (Homoptera: Aphididae), 623.
- Sinclair, B.J. Generic revision of the Clinocerinae (Empididae), and description and phylogenetic relationships of the Trichopezinae, new status (Diptera: Empidoidea), 665.
- Smith, S.M. See Brandt et al., 595.
- Soroka, J.J., and A.D. Muir. The effects of sweetclover species, cultivars, and nitrate fertilizer on feeding by the sweetclover weevil, *Sitona cylindricollis* Fähræus (Coleoptera: Curculionidae), 945.
- Spence, J.R. See Cárcamo et al., 123.
- Sperling, F.A.H. See Langor and Sperling, 895.
- Sperling, F.A.H., and D.A. Hickey. Amplified mitochondrial DNA as a diagnostic marker for species of conifer-feeding *Choristoneura* (Lepidoptera: Tortricidae), 277.
- Stephen, F.M. See Coppedge et al., 145.
- Stewart, J.G. See Dorman and Stewart, 255.
- Stewart, R.K. See Al-Ghamdi et al., 457.
- Stock, A.J., J.H. Borden, T.L. Pratt, H.D. Pierce, Jr., and B.D. Johnston. Enantiomeric composition and release rates of *exo*-brevicomin influence aggregation of the western balsam bark beetle, *Cryocetes confusus* Swaine (Coleoptera: Scolytidae), 449.
- Sweeney, J.D., and G.N. Gesner. Susceptibility of the black spruce cone maggot, *Strobilomyia appalachensis* Michelsen (Diptera: Anthomyiidae) to entomopathogenic nematodes (Nematoda: Steinernematidae), 865.
- Thurston, G.S. See Eidt and Thurston, 423.
- Trimble, R.M. Mating disruption for controlling the codling moth, *Cydia pomonella* (L.) (Lepidoptera: Tortricidae), in organic apple production in southwestern Ontario, 493.
- Turnock, W.J., G. Boivin, and J.W. Whistlecraft. Parasitism of overwintering puparia of the cabbage maggot, *Delia radicum* (L.) (Diptera: Anthomyiidae), in relation to host density and weather factors, 535.
- van Frankenhuyzen, K. See Payne and van Frankenhuyzen, 15.
- Walde, S.J. See Pearsall and Walde, 641.

- Weiss, M.J. See Milbrath et al., 289.
- Weseloh, R.M. See Maier and Weseloh, 235.
Ant traffic on different tree species in Connecticut, 569.
- Whistlecraft, J.W. See Turnock et al., 535.
- Whitfield, G.H. See Mulock et al., 839.
- Willis, D.S., and P.G. Kevan. Foraging dynamics of *Peponapis pruinosa* (Hymenoptera: Anthophoridae) on pumpkin (*Cucurbita pepo*) in southern Ontario, 167.
- Wise, I.L. See Gerber and Wise, 543.
- Wise, I.L., and R.J. Lamb. Spatial distribution and sequential sampling methods for the potato aphid, *Macrosiphum euphorbiae* (Thomas) (Homoptera: Aphididae), in oilseed flax, 967.
- Wise, I.L., R.J. Lamb, and E.O. Kenaschuk. Effects of the potato aphid *Macrosiphum euphorbiae* (Thomas) (Homoptera: Aphididae) on oilseed flax, and stage-specific thresholds for control, 213.
- Wood, D.L. See Hoover et al., 79.
- Young, T.L. See Santiago-Blay and Young, 605.
- Zervos, S. See Eidt et al., 431.
See Eidt et al., 439.
- Zylstra, B.F. See de Groot and Zylstra, 851.

SUPPLEMENTS AND MEMOIRS

- No. 1 of Vol. LXXXVII (mailed 30 March 1955): The comparative internal larval anatomy of sawflies (Hymenoptera: Symphyta) — Doreen E. Maxwell
- No. 1 of Vol. LXXXVIII (mailed 10 December 1956): Revision of the Nearctic species of *Agriotes* (Coleoptera: Elateridae) — Edward C. Becker
- No. 2 of Vol. LXXXVIII (mailed 16 January 1957): Leafhoppers (Homoptera: Cicadellidae) of Canada and Alaska — Bryan P. Beirne
- No. 3 of Vol. LXXXVIII (mailed 2 January 1957): The New World species of *Chrysomela* L. (Coleoptera: Chrysomelidae) — W. J. Brown
- Note: After this issue the "Supplements" became, in fact, a self-contained series with a continuous numbering system independent of *The Canadian Entomologist*. Nevertheless, they were still issued (with later exceptions) as "Accompanying" volumes of *The Canadian Entomologist*.
- Because four supplements had already been published, the next one was called No. 5 there is no supplement No. 4.
- No. 4 — there is no Supplement 4.
- No. 5 (mailed 2 December 1957): The use of larval anatomy in the study of bark beetles (Coleoptera: Scolytidae) — J. B. Thomas
- No. 6 (mailed 8 April 1958): Taxonomy, life history, and habits of the ellipsoid-eyed species of *Schinia* (Lepidoptera: Noctuidae), with notes on the Heliothidinae — David F. Harwick
- No. 7 (mailed 28 April 1958): The Archipinae of North America (Lepidoptera: Tortricidae) — T. N. Freeman
- No. 8 (mailed 12 September 1958): Larvae of the Nearctic Larentiinae (Lepidoptera: Geometridae) — W. C. McGuffin
- No. 9 (mailed 14 November 1958): Acridoidea of southern Alberta, Saskatchewan, and Manitoba (Orthoptera) — Arthur R. Brooks
- No. 10 (mailed 26 March 1959): Larvae of the North American Olethreutidae (Lepidoptera) — Margaret Rae MacKay
- No. 11 (mailed 26 March 1959): Male genitalia as taxonomic characters in the Miridae (Hemiptera) — Leonard A. Kelton
- No. 12 (mailed 15 June 1959): Phytoseiid mites (Acarina: Phytoseiidae). I. Bionomics of seven species in southeastern England. II. A taxonomic review of the family Phytoseiidae, with descriptions of 38 new species — D. A. Chant
- No. 13 (mailed 14 November 1960): A synopsis of the genus *Rhopalosiphum* in Canada (Homoptera: Aphididae) — W. R. Richards
- No. 14 (mailed 16 March 1961): A revision of the Nearctic species of Fanniinae (Diptera: Muscidae) — J. G. Chillcott
- No. 15 (mailed 1 February 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). I. Introduction, key to Nearctic genera of Ichneumoninae Stenopneusticae, and synopsis of the Protichneumonini north of Mexico — Gerd H. Heinrich
- No. 16 (mailed 11 January 1961): Needle-mining Lepidoptera of pine in North America — T. N. Freeman
- No. 17 (mailed 25 October 1961): The classification of the Papilionidae (Lepidoptera) — Eugene Munroe
- No. 18 (mailed 4 April 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). II. Synopsis of the Ichneumonini: Genera *Orgichneumon*, *Cratichneumon*, *Homotherus*, *Aculichneumon*, *Spilichneumon* — Gerd H. Heinrich
- No. 19 (mailed 4 April 1961): Mathematical models for use in insect pest control — Kenneth E. F. Watt
- No. 20 (mailed 6 April 1961): Adult Elateridae of southern Alberta, Saskatchewan and Manitoba (Coleoptera) — A. R. Brooks
- No. 21 (mailed 13 September 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). III Synopsis of the Ichneumonini: Genera *Ichneumon* and *Thyrateles* — Gerd H. Heinrich
- No. 22 (mailed 29 May 1961): Taxonomy and distribution of Nearctic *Vespula* — C. D. F. Miller
- No. 23 (mailed 21 December 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). IV. Synopsis of the Ichneumonini: Genera *Chasmias*, *Neamblymorpha*, *Anisopygus*, *Limerodops*, *Eupalamus*, *Tricholabus*, *Pseudamblyteles*, *Eutanyacra*, *Ctenichneumon*, *Exephanes*, *Ectopimorpha*, *Pseudoamblyteles* — Gerd H. Heinrich

- No. 24 (mailed 27 December 1961): Synopsis of the North American Odontiinae, with descriptions of new genera and species (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 25 (mailed 28 December 1961): A revision of the New World species of *Thalycra* Erichson, with a description of a new genus and notes on generic synonymy (Coleoptera: Nitidulidae) — Henry F. Howden
- No. 26 (mailed 19 February 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). V. Synopsis of the Ichneumonini: Genera *Protopelmus*, *Patrocloides*, *Probolus*, *Stenichneumon*, *Aoplus*, *Limonethe*, *Hybophorellus*, *Rubicundiella*, *Melanichneumon*, *Stenobarichneumon*, *Platylabops*, *Hoplismenus*, *Hemihoplis*, *Trogomorpha* — Gerd H. Heinrich
- No. 27 (mailed 20 September 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VI. Synopsis of the Ichneumonini (genus *Plagiotrypes*), *Acanthojoppini*, *Listrodromini* and *Platylabini* — Gerd H. Heinrich
- No. 28 (mailed 6 November 1962): Larvae of the North American Tortricinae (Lepidoptera: Tortricidae) — Margaret Rae MacKay
- No. 29 (mailed 27 November 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VII. Synopsis of the Trogini addenda and corrigenda — Gerd H. Heinrich
- No. 30 (mailed 1 May 1963): A catalogue of the Nearctic Chalcidoidea (Insecta: Hymenoptera) — Oswald Peck
NOTE: After supplement No. 30, the series continued under the title of *Memoirs of the Entomological Society of Canada*.
- No. 31 (mailed 21 May 1963): The dynamics of epidemic spruce budworm populations — R. F. Morris, *Editor*
- No. 32 (mailed 4 June 1963): Population dynamics of agricultural and forest insect pests — E. J. LeRoux and others
- No. 33 (mailed 19 March 1964): Some neotropical genera resembling *Epicorsia* Hübner (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 34 (mailed 1 April 1964): Keys to the Chalcidoidea of Czechoslovakia (Insecta: Hymenoptera) — Oswald Peck, Zdeněk Bouček and Augustin Hoffer
- No. 35 (mailed 14 May 1964): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VIII. Addenda and corrigenda, host-parasite list and generic host index, index to ichneumonid names — Oswald Peck
- No. 36 (mailed 21 October 1964): The morphology, histology, and fine structure of the gut of the green peach aphid, *Myzus persicae* (Sulzer) (Homoptera: Aphididae) — A. R. Forbes
- No. 37 (mailed 23 October 1964): Insect lipids: A review — Paul G. Fast
- No. 38 (mailed 6 November 1964): Blood circulation in insect wings — John W. Arnold
- No. 39 (mailed 10 December 1964): The Geotrupinae of North and Central America — Henry F. Howden
- No. 40 (mailed 1 April 1965): The corn earworm complex — David F. Hardwick
- No. 41 (mailed 5 April 1965): The Phytoseiidae (Acarina) of Central America — D. A. Chant and E. W. Baker
- No. 42 (mailed 18 June 1965): The Muscidae of northern Canada, Alaska, and Greenland (Diptera) — Hugh C. Hockett
- No. 43 (mailed 23 June 1965): Recherches sur la biologie et la dynamique des populations naturelles d'*Archips argyropilus* (Wlk.) (Lépidoptères: Tortricidae) dans le sud-ouest du Québec — Rudolphe-O. Paradis et E. J. LeRoux
- No. 44 (mailed 26 October 1965): The Callaphidini of Canada (Homoptera: Aphididae) — W. R. Richards
- No. 45 (mailed 7 December 1965): The functional response of predators to prey density and its role in mimicry and population regulation — C. S. Holling
- No. 46 (mailed 9 December 1965): The population dynamics of the winter moth in Nova Scotia, 1954-1962 — D. G. Embree
- No. 47 (mailed 29 December 1965): Taxonomic concepts in the Ascidae, with a modified setal nomenclature for the idiosoma of the Gamasina (Acarina: Mesostigmata) — Evert E. Lindquist and G. Owen Evans
- No. 48 (mailed 1 April 1966): The functional response of invertebrate predators to prey density — C. S. Holling
- No. 49 (mailed 16 May 1966): Revision of North American Species of *Udea* Guenée (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 50 (mailed 15 September 1967): Guide to the Geometridae of Canada (Lepidoptera). I. Subfamily Sterrhinae — W. C. McGuffin
- No. 51 (mailed 15 September 1967): Aquatic and semiaquatic Heteroptera of Alberta, Saskatchewan, and Manitoba (Hemiptera) — Arthur R. Brooks and Leonard A. Kelton

- No. 52 (mailed 9 January 1968): A history of grasshopper abundance surveys and forecasts of outbreaks in Saskatchewan — Paul W. Riegert
- No. 53 (mailed 12 February 1968): Generic classification, evolution, and biogeography of the Sminthuridae of the World (Collembola) — W. R. Richards
- No. 54 (mailed 19 April 1968): A review of the Trichiinae of North and Central America (Coleoptera: Scarabaeidae) — Henry F. Howden
- No. 55 (mailed 3 July 1968): The *imbecillus* and *rufus* groups of the spider genus *Philodromus* in North America (Araneida: Thomisidae) — C. D. Dondale and J. H. Redner
- No. 56 (mailed 13 September 1968): The tachinids of Trinidad. VIII. Phorocerines — W. R. Thompson
- No. 57 (mailed 5 December 1968): A synopsis of the World fauna of *Myzocallis* (Homoptera: Aphididae) — W. R. Richards
- No. 58 (mailed 6 November 1968): The North American Aegeriidae (Lepidoptera): A revision based on late-instar larvae — Margaret Rae MacKay
- No. 59 (mailed 26 February 1969): The life histories, distribution, and immature forms of the North American sawflies of the genus *Cephalcia* (Hymenoptera: Pamphiliidae) — D. C. Eidl
- No. 60 (mailed 19 February 1969): Review of the Holarctic tarsonemid mites (Acarina: Prostigmata) parasitizing eggs of ipine bark beetles — Evert E. Lindquist
- No. 61 (mailed 17 April 1969): Contribution towards a monograph of the fleas of New Guinea — George P. Holland
- No. 62 (mailed 15 July 1969): A revision of the genera of the Syrphini (Diptera: Syrphidae) — J. R. Vockeroth
- No. 63 (mailed 21 June 1969): Larvae and pupae of some eastern North American Tabanidae (Diptera) — H. J. Teskey
- No. 64 (mailed 11 November 1969): The Agromyzidae of Canada and Alaska — Kenneth A. Spencer
- No. 65 (mailed 25 June 1970): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae; Bombinae): Bibliography — H. E. Milliron
- No. 66 (mailed 6 April 1970): Le genre *Rhyacophila* et la famille des Rhyacophilidae (Trichoptera) — F. Schmid
- No. 67 (mailed 24 March 1970): The genus *Euxoa* (Lepidoptera: Noctuidae) in North America. I. Subgenera *Orosagrotis*, *Longivesica*, *Chorizagrotis*, *Pleonectopoda*, and *Crassivesca* — David F. Hardwick
- No. 68 (mailed 26 March 1970): The Nearctic species of *Pnigalio* and *Sympiesis* (Hymenoptera: Eulophidae) — Charles Douglas Miller
- No. 69 (mailed 31 March 1970): The *Prosimulium* of Canada and Alaska (Diptera: Simuliidae) — B. V. Peterson
- No. 70 (mailed 25 June 1970): Models for the development and survival of *Hyphantria cunea* in relation to temperature and humidity — R. F. Morris and W. C. Fulton
- No. 71 (mailed 16 October 1970): Taxonomy and distribution of the European corn borer and allied species: Genus *Ostrinia* (Lepidoptera: Pyralidae) — Akira Mutuura and Eugene Munroe
- No. 72 (mailed 27 July 1970): A catalogue of types of Coleoptera in the Canadian National Collection of Insects — Raymond de Ruelle
- No. 73 (mailed 25 November 1970): A generic revision of the North American Heliethidinae (Lepidoptera: Noctuidae) — D. F. Hardwick
- No. 74 (mailed 25 November 1970): Revision of the subfamily Midilinae (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 75 (mailed 19 April 1971): A revision of the Trogositidae of America north of Mexico (Coleoptera: Cleroidea) — J. R. Barron
- No. 76 (mailed 31 December 1970): Morphology and evolution of the insect thorax — Ryuichi Matsuda
- No. 77 (mailed 23 March 1971): The biology and dynamics of *Lithocolletis blancardella* (Lepidoptera: Gracillariidae) on apple in Quebec — R. P. Pottinger and E. J. LeRoux
- No. 78 (mailed 25 May 1971): Pest insects of annual crop plants in Canada. I. Lepidoptera. II. Diptera. III. Coleoptera — Bryan P. Beirne
- No. 79 (mailed 20 November 1971): Revision of the tribe Quediini of America north of Mexico (Coleoptera: Staphylinidae) — Aleš Smetana
- No. 80 (mailed 22 September 1971): A synopsis of the World fauna of the Saltusaphidinae, or sedge aphids (Homoptera: Aphididae) — W. R. Richards
- No. 81 (mailed 30 November 1971): A revision of the Alleculidae (Coleoptera) of the West Indies — J. M. Campbell
- No. 82 (mailed 3 December 1971): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae; Bombinae). I. The genera *Bombus* and *Megabombus* subgenus *Bombias* — H. E. Milliron

- No. 83 (mailed 3 December 1971): Review of *Lygocoris* species found in Canada and Alaska (Heteroptera: Miridae) — Leonard A. Kelton
- No. 84 (mailed 29 February 1972): A revision of the Nearctic Amaurobiidae (Arachnida: Araneida) — Robin Leech
- No. 85 (mailed 7 April 1972): Pest insects of annual crop plants in Canada. IV. Hemiptera-Homoptera. V. Orthoptera. VI. Other groups — Bryan P. Beirne
- No. 86 (mailed 21 September 1972): Guide to the Geometridae of Canada (Lepidoptera). II. Subfamily Ennominae, 1 — W. C. McGuffin
- No. 87 (mailed 21 September 1972): The Chaitophorinae of Canada (Homoptera: Aphididae) — W. R. Richards
- No. 88 (mailed 21 December 1972): Larval sketches of some Microlepidoptera, chiefly North American — Margaret Rae MacKay
- No. 89 (mailed 15 February 1972): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae; Bombinae). II. The genus *Megabombus* subgenus *Megabombus* — H. E. Milliron
- No. 90 (mailed 7 March 1973): A revision of the genus *Tachinus* (Coleoptera: Staphylinidae) of North and Central America — J. M. Campbell
- No. 91 (mailed 19 December 1973): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae; Bombinae). III. The genus *Pyrobombus* subgenus *Cullumano-bombus* — H. E. Milliron
- No. 92 (mailed 23 April 1974): The systematics, phylogeny, and zoogeography of *Symmerus* Walker and *Australosymmerus* Freeman (Diptera: Mycetophilidae: Ditomiyiinae) — Donald Douglas Munroe
- No. 93 (mailed 30 May 1974): Revision of the genus *Cymbiodyta* Bed. (Coleoptera: Hydrophilidae) — Aleš Smetana
- No. 94 (mailed 13 June 1975): The cephalic structures and spiracles of final-instar larvae of the subfamily Campopleginae, tribe Campoplegini (Hymenoptera: Ichneumonidae) — Thelma Finlayson
- No. 95 (mailed 18 July 1975): The lygus bugs (genus *Lygus* Hahn) of North America (Heteroptera: Miridae) — Leonard A. Kelton
- No. 96 (mailed 4 December 1975): Revision of the genera *Paraphlepsius* Baker and *Pendarus* Ball (Rhynchota: Homoptera: Cicadellidae) — K. G. A. Hamilton
- No. 97 (mailed 14 June 1976): Revisionary notes and keys to World genera of Scelionidae (Hymenoptera: Proctotrupoidea) — Lubomir Masner
- No. 98 (mailed 12 October 1976): A study of the systematics of the water mite family Pionidae (Prostigmata: Parasitengona) — Ian M. Smith
- No. 99 (mailed 6 October 1976): A revision of the genus *Sepedophilus* Gistel (Coleoptera: Staphylinidae) of America north of Mexico — J. M. Campbell
- No. 100 (mailed 6 December 1976): Diptera larvae associated with trees in North America — H. J. Teskey
- No. 101 (mailed 22 July 1977): Guide to the Geometridae of Canada (Lepidoptera). II. Subfamily Ennominae. 2 — W. C. McGuffin
- No. 102 (mailed 29 September 1977): A revision of the Nearctic species of *Orthocladus* (*Orthocladus*) van der Wulp (Diptera: Chironomidae) — Annelie R. Sponis
- No. 103 (mailed 3 November 1977): A revised classification of the Piophilidae, including 'Neotiophilidae' and 'Thyreophoridae' (Diptera: Schizophora) — J. F. McAlpine
- No. 104 (mailed 19 April 1978): Feeding and mating in the insectivorous Ceratopogoninae (Diptera) — J. A. Downes
- No. 105 (mailed 3 April 1978): Revision of the subfamily Sphaeridiinae of America north of Mexico (Coleoptera: Hydrophilidae) — Aleš Smetana
- No. 106 (mailed 19 April 1978): A revision of the North American Omaliinae (Coleoptera: Staphylinidae). 1. The genera *Haida* Keen, *Pseudohaida* Hatch, and *Eudectoides* new genus. 2. The tribe Coryphiini — J. M. Campbell
- No. 107 (mailed 31 May 1979): The Nepticulidae (Lepidoptera) of Canada — Christopher Wilkinson and J. M. Scoble. 129 pp.
- No. 108 (mailed 12 April 1979): Canada and its insect fauna — H. V. Danks, *Editor*. 573 pp.
- No. 109 (mailed 25 September 1979): A revision of the genus *Tachyporus* Gravenhorst (Coleoptera: Staphylinidae) of North and Central America — J. M. Campbell. 95 pp.
- No. 110 (issued 20 February 1980): Spruce budworm (Lepidoptera: Tortricidae) moth flight and dispersal: New understanding from canopy observations, radar, and aircraft — D. O. Greenbank, G. W. Schaefer, and R. C. Rainey, F.R.S. 49 pp.

- No. 111 (issued 16 July 1980): Revision of the genus *Hydrochara* Berth. (Coleoptera: Hydrophilidae) — Aleš Smetana. 100 pp.
- No. 112 (issued 16 July 1980): A revision of the systematics of *Acalymma sensu stricto* Barber (Coleoptera: Chrysomelidae) from North America including Mexico — D. D. Munroe and Ray F. Smith
- No. 113 (issued 18 June 1980): Key to the genera of Scelionidae of the Holarctic Region, with descriptions of new genera and species (Hymenoptera: Proctotrupoidea) — Lubomir Masner. 54 pp.
- No. 114 (issued 17 September 1980): A revision of the genus *Macrophya* Dahlbom (Hymenoptera: Symphyta, Tenthredinidae) of North America — Gary A. P. Gibson. 167 pp.
- No. 115 (issued 3 June 1981): The polyphyletic nature of *Apanteles* Foerster (Hymenoptera: Braconidae): A phylogeny and reclassification of Microgastrinae — W. R. M. Mason. 147 pp.
- No. 116 (issued 24 August 1981): Revision des Trichoptères Canadiens. I. La famille des Rhyacophilidae (Annulipalpia) — F. Schmid. 83 pp.
- No. 117 (issued 25 September 1981): Guide to the Geometridae of Canada (Lepidoptera). II Subfamily Ennominae. 3 — W. C. McGuffin. 153 pp.
- No. 118 (issued 24 November 1981): Taxonomic monograph of the genus *Pityophthorus* Eichhoff in North and Central America (Coleoptera: Scolytidae) — D. E. Bright. 380 pp.
- No. 119 (issued 30 March 1982): A revision of the genus *Lordithon* Thomson of North and Central America (Coleoptera: Staphylinidae) — J.M. Campbell. 116 pp.
- No. 120 (issued 14 June 1982): Revision of the subfamily Xantholininae of America north of Mexico (Coleoptera: Staphylinidae) — Aleš Smetana. 389 pp.
- No. 121 (issued 22 August 1982): La famille des Xiphocentronides (Trichoptera: Annulipalpia) — F. Schmid. 127 pp.
- No. 122 (issued 22 August 1982): Revision des Trichoptères Canadiens. II. Les Glossosomatidae et Philopotamidae (Annulipalpia) — F. Schmid. 76 pp.
- No. 123 (issued 9 June 1983): Revision of the Macropsini and Neopsini of the New-World (Rhynchota: Homoptera: Cicadellidae), with notes on intersex morphology — K. G. A. Hamilton. 223 pp.
- No. 124 (issued 15 September 1983): Classification of final-instar larvae of the Ichneumonidae (Hymenoptera: Ichneumonidae) — David R. Gillespie and Thelma Finlayson. 81 pp.
- No. 125 (issued 24 November 1983): Revision des Trichoptères canadiens. III. Les Hyalopsychidae, Psychomyiidae, Goeridae, Brachycentridae, Sericostomatidae, Helicopsychidae, Beraeidae, Odontoceridae, Calamoceratidae et Molannidae — F. Schmid. 116 pp.
- No. 126 (issued 28 December 1983): A catalogue of the eggs of some Canadian Geometridae (Lepidoptera), with comments — E. H. Salkeld. 262 pp.
- No. 127 (issued 24 April 1984): A catalogue of the eggs of some Canadian Noctuidae (Lepidoptera) — E. H. Salkeld. 167 pp.
- No. 128 (issued 24 April 1984): The systematics and phylogeny of the *Stenochironomus* complex (*Xestochironomus*, *Harrisius*, and *Stenochironomus*) (Diptera: Chironomidae) — Art Borkent. 269 pp.
- No. 129 (issued 2 October 1984): A revision of the genus *Aleochara* Gravenhorst of America north of Mexico (Coleoptera: Staphylinidae, Aleocharinae) — Jan Klimaszewski. 211 pp.
- No. 130 (issued 11 March 1985): The fleas of Canada, Alaska and Greenland (Siphonaptera) — George P. Holland. 630 pp. (This was erroneously listed as 31 December 1984 in the 1984 list of Supplements and Memoirs.)
- No. 131 (issued 9 September 1985): Revision of the subfamily Helophorinae of the Nearctic Region (Coleoptera: Hydrophilidae) — Aleš Smetana. 154 pp.
- No. 132 (issued December 1985): A taxonomic conspectus of the Blondeliini of North and Central America and the West Indies (Diptera: Tachinidae) — D.M. Wood. 130 pp.
- No. 133 (issued 14 April 1986): A taxonomic monograph of the Nearctic galerucine genus *Ophraella* Wilcox (Coleoptera: Chrysomelidae) — Laurent LeSage. 75 pp.
- No. 134 (issued 28 May 1986): An annotated list of and keys to the immature black flies of Alberta (Diptera: Simuliidae) — D.C. Currie. 90 pp.
- No. 135 (issued 23 December 1986): The genera and species of the Nearctic Dolerini (Symphyta: Tenthredinidae: Selandriinae): Classification and phylogeny — Henri Goulet. 208 pp.
- No. 136 (issued 30 December 1986): The world genera of Tarsonemidae (Acari: Heterostigmata): A morphological, phylogenetic and systematic revision, with a reclassification of family-group taxa in the Heterostigmata — Evert E. Lindquist. 517 pp.

- No. 137 (issued 19 June 1987): Primary types of Ichneumonidae (Hymenoptera) in the Canadian National Collection — Michael J. Sarazin. 123 pp.
- No. 138 (issued 18 September 1987): Guide to the Geometridae of Canada (Lepidoptera). II. Subfamily Ennominae. 4 — W.C. McGuffin. 182 pp.
- No. 139 (issued 30 December 1987): Catalogue of the Oribatida (Acari) of continental United States and Canada — Valin G. Marshall, R. Marcel Reeves, and Roy A. Norton. 418 pp.
- No. 140 (issued December 1987): Aquatic insects of peatlands and marshes in Canada — David M. Rosenberg and Hugh V. Danks, *Editors*. 174 pp.
- No. 141 (issued 21 September 1988): The species groups of *Gonatocerus* Nees in North America with a revision of the *sulphuripes* and *ater* groups (Hymenoptera: Mymaridae) — John T. Huber. 109 pp.
- No. 142 (issued 21 September 1988): Review of the family Hydrophilidae of Canada and Alaska (Coleoptera) — Aleš Smetana. 316 pp.
- No. 143 (issued 8 November 1988): Modelling in support of resource management — Wilfred R. Cuff, *Editor*. 59 pp.
- No. 144 (issued 15 December 1988): Origins of the North American insect fauna — J.A. Downes and D.H. Kavanaugh, *Editors*. 168 pp.
- No. 145 (issued 8 November 1988): Guide to the Geometridae of Canada (Lepidoptera). III, IV, and V. Subfamilies Archiarinae, Oenochrominae, and Geometrinae — W.C. McGuffin. 56 pp.
- No. 146 (issued December 1988): Paths from a viewpoint: the Wellington festschrift on insect ecology — T.S. Sahota and C.S. Holling, *Editors*. 213 pp.
- No. 147 (issued 31 August 1989): World review and keys to genera of the subfamily Inostemmatinae with reassignment of the taxa to the Platygastriinae and Sceliotrachelinae (Hymenoptera: Platygastriidae) — Lubomir Masner and Lars Huggert. 214 pp.
- No. 148 (issued 2 November 1989): Classification and evolution of the eumenine wasp genus *Symmorphus* Wesmäl (Hymenoptera: Vespidae) — Jeffrey M. Cumming. 168 pp.
- No. 149 (issued 2 November 1989): Phylogeny and classification of Eupelmidae, with a revision of the world genera of Calosotinae and Metapelmatinae (Hymenoptera: Chalcidoidea) — Gary A.P. Gibson. 121 pp.
- No. 150 (issued 2 November 1989): A revision of the genus *Hoplandria* Kraatz of America north of Mexico (Coleoptera: Staphylinidae, Aleocharinae) — François Génier. 59 pp.
- No. 151 (issued 11 June 1990): Guide to the Geometridae of Canada (Lepidoptera). VI. Subfamily Larentiinae. 1. Revision of the genus *Eupithecia* — K.B. Bolte. 253 pp.
- No. 152 (issued 26 September 1990): The systematics and taxonomy of final-instar larvae of the family Aphidiidae (Hymenoptera) — Thelma Finlayson. 74 pp.
- No. 153 (issued 1 November 1990): Inundative release of the egg parasitoid, *Trichogramma minutum* (Hymenoptera: Trichogrammatidae), against forest insect pests such as the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae): The Ontario Project 1982–1986 — S.M. Smith, J.R. Carrow, and J.E. Laing, *Editors*. 87 pp.
- No. 154 (issued 15 May 1991): Natural history, classification, reconstructed phylogeny, and geographic history of *Pytho* Latreille (Coleoptera: Heteromera: Pythidae) — Darren A. Pollock. 104 pp.
- No. 155 (issued 24 June 1991): Arthropods of springs, with particular reference to Canada — D.D. Williams and H.V. Danks, *Editors*. 217 pp.
- No. 156 (issued 30 September 1991): A revision of the genera *Mycetoporus* Mannerheim and *Ischnosoma* Stephens (Coleoptera: Staphylinidae: Tachyporinae) of North and Central America — J.M. Campbell. 169 pp.
- No. 157 (issued 22 November 1991): Classification, reconstructed phylogeny, and geographic history of the New World members of *Plateumaris* Thomson, 1859 (Coleoptera: Chrysomelidae: Donaciinae) — I.S. Askevold. 173 pp.
- No. 158 (issued 22 November 1991): The Lepidoptera of Bermuda: Their food plants, biogeography, and means of dispersal — D.C. Ferguson, D.J. Hilburn, and B. Wright. 105 pp.
- No. 159 (issued 22 November 1991): Symposium on the role of plant-derived substances for insect control — J.T. Arnason and B.J.R. Philogène, *Editors*. 47 pp.
- No. 160 (issued 31 December 1991): Systematics of Nearctic Scythrididae (Lepidoptera: Gelechioidea): Phylogeny and classification of supraspecific taxa, with a review of described species — J.-F. Landry. 341 pp.

- No. 161 (issued 15 July 1992): A revision of the New World and Pacific *Phthitia* Enderlein (Diptera; Sphaeroceridae; Limosininae), including *Kimosina* Roháček, new synonym and *Aubertinla* Richards, new synonym — S.A. Marshall and I.P. Smith. 83 pp.
- No. 162 (issued 15 July 1992): Review of the New World eyeless weevils with uncinatate tibiae (Coleoptera, Curculionidae; Molytinae, Cryptorhynchinae, Cossoninae) — A.T. Howden. 76 pp.
- No. 163 (issued November 1992): Description of *Parabrochymena*, new genus, and redefinition and review of *Brochymena* Amyot and Audinet-Serville (Hemiptera: Pentatomidae), with considerations on natural history, chorological affinities, and evolutionary relationships — M.-C. Larivière. 75 pp.
- No. 164 (issued November 1992): Generic revision of Phoridae of the Nearctic Region and phylogenetic classification of Phoridae, Sciadoceridae, and Ironomyiidae (Diptera: Phoridae) — B.V. Brown. 144 pp.
- No. 165 (issued 21 June 1993): Systematics and entomology: Diversity, distribution, adaptation, and application — G.E. Ball and H.V. Danks, *Editors*. 272 pp.
- No. 166 (issued 29 July 1993): A revision of the genera *Bryoporus* Kraatz and *Bryophasis* Reitter and two new related genera from America north of Mexico (Coleoptera: Staphylinidae: Tachyporinae) — J.M. Campbell. 85 pp.
- No. 167 (issued 29 November 1993): Catalogue of the Geadephaga (Coleoptera: Trachypachidae, Rhysodidae, Caradidae including Cicindelini) of America north of Mexico — Y. Bousquet and A. Larochelle. 397 pp.
- No. 168 (issued 30 December 1993): Eremaeidae (Acari: Oribatida) of North America — V.M. Behan-Pelletier. 194 pp.
- No. 169 (issued December 1994): Terrestrial arthropods of peatlands, with particular reference to Canada — A.T. Fennimore and S.A. Marshall, *Editors*. 289 pp.